

HAMASPIK
CENTER FOR HUMAN SERVICES



המספיק
מרכז עזרה לצרכי הציבור

Hamaspik of Kings County, Inc. • www.hamaspikkings.org

Main Office: 295 Division Ave. • Brooklyn NY 11211 • (718) 387-8400 • Fax (718) 599-3261

Boro Park Office: 4102 14th Ave. • Brooklyn NY 11219 • (718) 431-8400 • Fax (718) 431-1675

Vehicle specifications

Hamaspik Ford FIN# KE-072

CHASSIS

Manufacturer's standard exterior colors at no additional cost, gray
Manufacturer's standard interior colors at no additional cost, pewter
Manufacturer's standard seating surfaces at no additional cost, gray vinyl

- ☑ 2015 Ford Transit XLT, 140 Class 148" Wheel Base, mid-height roof
- ☑ 3.7L V-6
- ☑ GAS Fuel
- ☑ 6 SPEED AUTOMATIC TRANSMISSION
- ☑ GVWR 9,000 +
- ☑ 3.73 RATIO REAR AXLE, 235/65R16 BSW,
- ☑ FRONT & REAR A/C AND HEATER-OEM
- ☑ WINDOWS ALL AROUND,
- ☑ 50 STATE EMISSIONS
- ☑ REAR DEFOGGER, AM/FM SINGLE CD PLAYER, CRUISE CONTROL
- ☑ REAR VIEW CAMERA, MY TOUCH FORD NAVIGATION, REVERSE PARK AID
- ☑ POWER HEATED MIRRORS
- ☑ DUAL BATTERIES
- ☑ 220 AMP ALTERNATOR
- ☑ DAY TIME RUNNING LAMPS

Upfit & Seating

- ☑ Floor Platform-Shall meet specifications of page 2 "AbiliTrax Specification"
- ☑ Floor platform shall meet buy America Standards
- ☑ FMVSS 3rd party testing results shall be readily available
- ☑ 5 AbiliTrax Step-N-Lock™ Movable Seating- Grey Vinyl FMVSS 3rd party pull test shall be readily available
- ☑ 1 AbiliTrax CAM Lock™ Seat Double Foldaway with integrated 3PT seat belt Grey Vinyl FMVSS 3rd party pull test shall be readily available
- ☑ Stainless Steel Running Board Driver/Passenger Front Doors
- ☑ Stainless Steel Running Board Side Sliding door
- ☑ Grab Handle (Side Door)

Vehicle package to include

- ☑ DOT safety package kit; 5lb (mounted) fire extinguisher, reflective triangle, first aid kit.
- ☑ Wheelchair Restraints Q-8300 Q'straint "L" Track Fittings

Wheelchair lift

- ☑ Braun millennium lift
- ☑ Rear entry
- ☑ Manufacturer's Warranty

Specifications

Overview: The floor system shall consist of a series of longitudinal, parallel floor mounted steel tracks inserted into a 302 compliant composite base throughout the vehicle at 6 ¼" on center.

- The floor base shall be constructed of a 1 ½" water resistant composite material.
- The floor system shall be FMVSS 302 Compliant
- Flooring material must encapsulate the flooring base to create an impervious environment.
- The floor tracks shall be constructed of A1011 HSLA 50 (high strength low alloy) materials.
- The tracks shall be mechanically fastened through the vehicle floor using SAE Grade 8 machine bolts with self-locking grade 8 nuts and washers.
- The system shall conform to FMVSS 207 & 210 standards (capable of meeting these requirements with three seat position in one row at the same time).
- The track system shall be capable of accepting both "A" and "L" style tie down systems.
- Wheel Chair tie downs shall be allowed to be positioned anywhere within the track system (front to back and side to side) for wheelchair transport as needed up to maximum physical capacity.
- Seats shall be able to be positioned 6.25" to the driver or passenger and 5" front to back within the track system for transport or seat storage.
- Seats shall easily install or be removed without the use of tools.
- Seats latching system shall be easily operated (locked or unlocked) without need of operators bending over using an operators foot
- Seats shall be locatable front to back or side to side within the floor system.
- Seats must be stackable 15" overall front to back.

Please also refer to the "PRE – POST AWARD GUIDELINES" and will have to sign that will apply with all requirements.

Instructions for complying with the Pre-Award and Post-Delivery Checklists (see next two pages)

ADA Accessibility

This item has been met if the vehicle(s) your organization purchases are compliant with the Americans with Disabilities Act of 1990, as amended including changes made by the ADA Amendments Act of 2008.

Buy America

This item has been met if you have a copy of the signed Buy America certificate from the manufacturer that includes the type of vehicle(s) your organization wishes to purchase. The manufacturer should have

also submitted the component/subcomponent breakdown along with the location of the final assembly.

Disadvantaged Business Enterprise (DBE)

This item has been met if the manufacturer certified that they have complied with 49 CFR Part 26.49

regarding the participation of disadvantaged business enterprises in the manufacture of transit vehicles.

Federal Motor Vehicle Safety Standards (FMVSS)

Pre-Award: This item has been met if the manufacturer submitted the FMVSS self-certification sticker(s)

for the vehicle(s) your organization wishes to purchase.

Post-Delivery: This item has been met if the FMVSS sticker is attached to each vehicle purchased.

Include a copy or a photograph of the FMVSS sticker(s) when this checklist is submitted to NYCDOT.

Lobbying Certification

This item has been met if the bidder submitted a signed copy of the certification regarding lobbying

activities, often called the "Certification on Restrictions on Lobbying."

Purchaser's Requirement

This item has been met if the manufacturer will be able to provide your organization with the vehicle(s)

and all options (including ADA) that your organization is requesting.

Suspension and Debarment Certification

This item has been met if the bidder submitted a signed copy of the certification regarding suspension

and debarment, often called the "Certification of a Contractor Regarding Debarment, Suspension, and

Other Responsibility Matters."

Vehicle Inspection and Road Test

This item has been met if your organization visually inspected and road tested the vehicle(s) before final

acceptance of the vehicle(s).

Note: detailed information on the Pre-Award and Post-Delivery requirements for Buy America, Purchaser's Requirements, and FMVSS can be found on FTA's website at:

http://www.fta.dot.gov/laws/leg_reg_5423.html