

Medford Volunteer Ambulance

Prepared For: 2016 BUDGETARY

[Fleet] 2016 Chevrolet Tahoe (CK15706) 4WD 4dr Commercial (29)



Price Summary

PRICE SUMMARY

Base Price
Total Options
Vehicle Subtotal
Adjustments
Destination Charge
Grand Total

Table of Contents

- Price Summary
- Selected Model and Options
- Standard Equipment
- Technical Specifications

Selected Model and Options

MODEL

CODE	MODEL
CK15706	2016 Chevrolet Tahoe 4WD 4dr Commercial

COLORS

CODE	DESCRIPTION
GAZ	Summit White

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

[Fleet] 2016 Chevrolet Tahoe (CK15706) 4WD 4dr Commercial (29)

SEAT TYPE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
AZ3	Seating, front 40/20/40 split-bench, 3-passenger includes 6-way power driver and 2-way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage, storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (With vinyl, does not include (AG1) Driver 6-way power seat adjuster or (AG2) Front passenger 6-way power adjuster.) (STD)	0.00 lbs	0.00 lbs

GVWR

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
C6A	GVWR, 7300 lbs. (3311 kg) (Requires 4WD model.)	0.00 lbs	0.00 lbs

PAINT

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GAZ	Summit White	0.00 lbs	0.00 lbs

AXLE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
GU6	Rear axle, 3.42 ratio (Included and only available with (NHT) Maximum Trailering Package. Is available with (5W4) Special Service Vehicle without (NHT) Maximum Trailering Package.)	0.00 lbs	0.00 lbs

SEAT TRIM

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
H0U	Jet Black, Cloth seat trim	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

[Fleet] 2016 Chevrolet Tahoe (CK15706) 4WD 4dr Commercial (29)

—	Luggage rack, delete (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
—	Exterior ornamentation delete (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
—	Power outlets, 4 auxiliary, 12-volt includes 1 on the instrument panel, 1 in armrest, and 2 in the cargo area (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
—	Power supply, 100-amp, auxiliary battery, rear electrical center (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
—	Power supply, 50-amp, power supply, auxiliary battery passenger compartment wiring harness (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
—	Power supply, 120-amp, (4) 30-amp circuit, Primary battery relay controlled, passenger compartment harness wiring (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
—	Safety belts, 3-point, driver and front passenger in all seating positions (Included with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
—	Theft-deterrent system, vehicle, PASS-Key III (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs

PREFERRED EQUIPMENT GROUP

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
1FL	Commercial Preferred Equipment Group Includes Standard Equipment *CREDIT*	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

[Fleet] 2016 Chevrolet Tahoe (CK15706) 4WD 4dr Commercial (29)

K4B	Battery, Auxillary, 730 CCA	0.00 lbs	0.00 lbs
KW7	Alternator, 170 amps, high output (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
NQH	Transfer case, active, 2-speed electronic Autotrac with rotary controls, includes neutral position for dinghy towing (Requires 4WD model. Included with (9C1) Police Vehicle, (5W4) Special Service Vehicle and (NHT) Maximum Trailing Package.)	0.00 lbs	0.00 lbs
NZZ	Front underbody shield (Requires 4WD models and a Fleet or Government sales order type. Included with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
UE0	OnStar, delete (Requires a Fleet or Government sales order type. With (9C1) Police Vehicle or (5W4) Special Service Vehicle (UPF) Bluetooth for phone is deleted when ordered.) *CREDIT*	0.00 lbs	0.00 lbs
UN9	Radio Suppression Package, with ground straps (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
UT7	Ground Studs, Auxillary, Rear Compartment (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
VQ1	Fleet processing option	0.00 lbs	0.00 lbs
WX7	Wiring, auxiliary speaker (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
—	Door handles, body-color (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
—	Instrumentation, analog with certified 140 mph speedometer, odometer with trip odometer, engine hour meter, fuel level, voltmeter, engine temperature, oil pressure and tachometer (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs
—	Key, 2-sided (Included and only available with (9C1) Police Vehicle or (5W4) Special Service Vehicle only.)	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

ADDITIONAL EQUIPMENT

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
5HP	Key, 6 additional keys NOTE: programming of keys is at customer's expense. Programming keys is not a warranty expense	0.00 lbs	0.00 lbs
5T5	Seats, 2nd and 3rd row vinyl with front cloth seats Provides vinyl second and third row seats and cloth front seats (Requires interior trim (HOU) Jet Black and RPO (AZ3) front 40/20/40 split-bench seat.)	0.00 lbs	0.00 lbs
5W4	Identifier for Special Service vehicle (Must be specified.)	0.00 lbs	0.00 lbs
6E8	Key common, complete vehicle fleet provides a single key with a specific code that is common to the door locks and ignition of all the vehicles in the vehicle fleet. Key code is an alternate to SEO(6E2) complete vehicle fleet common key. NOTE: NOT COMPATIBLE with previous model years (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
6J3	Wiring, grille lamps and siren speakers (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
6J4	Wiring, horn and siren circuit (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
6J7	Flasher system, headlamp and taillamp, DRL compatible with control wire (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
AMF	Remote Keyless Entry Package includes 6 additional transmitters NOTE: programming of remotes is at customer's expense. Programming remotes is not a warranty expense (Requires (9C1) Police Vehicle or (5W4) Special Service Vehicle.)	0.00 lbs	0.00 lbs
ATD	Seat delete, third row passenger (Deletes rear storage compartment.) (Included with (9C1) Police Vehicle or (5W4) Special Service Vehicle.) *CREDIT*	0.00 lbs	0.00 lbs
BTV	Remote vehicle start	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

[Fleet] 2016 Chevrolet Tahoe (CK15706) 4WD 4dr Commercial (29)

RADIO

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
IO3	Audio system, AM/FM stereo with CD player and auxiliary input jack includes USB port (STD)	0.00 lbs	0.00 lbs

ENGINE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
L83	Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD)	0.00 lbs	0.00 lbs

TRANSMISSION

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
MYC	Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode (STD)	0.00 lbs	0.00 lbs

EMISSIONS

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
NE1	Emissions, Connecticut, Delaware, Maine, Maryland, Massachusetts, New Jersey, New York, Oregon, Pennsylvania, Rhode Island, Vermont and Washington state requirements	0.00 lbs	0.00 lbs

TIRES

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RC3	Tires, P265/70R17 all-terrain, blackwall (STD)	0.00 lbs	0.00 lbs

SPARE TIRE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RC4	Tire, spare P265/70R17 all-season, blackwall (STD)	0.00 lbs	0.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

WHEEL TYPE

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel (STD)	0.00 lbs	0.00 lbs

SHIP THRU CODES

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
VPV	Ship Thru, Produced in Arlington Assembly and shipped to Kerr Industries and onto Arlington Assembly	0.00 lbs	0.00 lbs

SUSPENSION PKG

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
ZW7	Suspension Package, Premium Smooth Ride (STD) (Not available with (NHT) Max Trailering Package.)	0.00 lbs	0.00 lbs

PAINT SCHEME

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT
ZY1	Paint scheme, solid application	0.00 lbs	0.00 lbs
Options Total		0.00 lbs	0.00 lbs

Standard Equipment

Mechanical

Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode (STD)

Rear axle, 3.08 ratio (Not available with (NHT) Max Trailering Package.)

Suspension Package, Premium Smooth Ride (STD) (Not available with (NHT) Max Trailering Package.)

GVWR, 7300 lbs. (3311 kg) (Requires 4WD model.)

E85 FlexFuel capable

Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed (Requires 4WD model. Not available with (NHT) Max Trailering Package.)

Differential, heavy-duty locking rear

4-wheel drive

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

Mechanical

Air cleaner, high-capacity

Cooling, external engine oil cooler, heavy-duty air-to-oil integral to driver side of radiator (With (9C1) Police Vehicle or (5W4) Special Service Vehicle includes heavy-duty oil-to-coolant integral to driver-side of radiator.)

Cooling, auxiliary transmission oil cooler, heavy-duty air-to-oil

Battery, 720 cold-cranking amps with 80 amp hour rating

Alternator, 150 amps

Trailer equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver

Recovery hooks, Black, front, frame-mounted

Suspension, front coil-over-shock with stabilizer bar

Suspension, rear multi-link with coil springs

Steering, power

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel (STD)

Tires, P265/70R17 all-terrain, blackwall (STD)

Tire, spare P265/70R17 all-season, blackwall (STD)

Wheel, full-size spare, 17" (43.2 cm) steel

Tire carrier, lockable outside spare, winch-type mounted under frame at rear

Fascia, front body-color

Fascia, rear color-keyed

Assist steps, Black

Daytime Running Lamps, with automatic exterior lamp control

Mirrors, outside heated power-adjustable, manual-folding and color keyed driver mirror includes spotter mirror

Glass, deep-tinted (With (9C1) Police Vehicle or (5W4) Special Service Vehicle includes all windows, except light-tinted glass on windshield and driver- and front passenger-side glass)

Wipers, front intermittent, Rainsense

Wiper, rear intermittent with washer

Liftgate, rear manual

Entertainment

Audio system, AM/FM stereo with CD player and auxiliary input jack includes USB port (STD)

Audio system feature, single-slot CD/MP3 player

Audio system feature, 6-speaker system

SiriusXM Satellite Radio, delete

Bluetooth for phone personal cell phone connectivity to vehicle audio system

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

Entertainment

OnStar with 4G LTE and built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes 3GB or 3 months OnStar Data Trial (whichever comes first) (Requires (UE1) OnStar Guidance plan. Available 4G LTE Wi-Fi requires compatible mobile device, active OnStar subscription and data plan after trial)

Interior

Seating, front 40/20/40 split-bench, 3-passenger includes 6-way power driver and 2-way front passenger seat adjuster, driver and front passenger power lumbar control and power reclining, center fold-down armrest with storage, storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (With vinyl, does not include (AG1) Driver 6-way power seat adjuster or (AG2) Front passenger 6-way power adjuster.) (STD)

Seat trim, cloth

Seat adjuster, driver power, multidirectional (Included and only available with (AZ3) 40/20/40 split-bench front seat.)

Seat adjuster, front passenger 6-way power

Seats, second row 60/40 split-folding bench, manual

Seat, third row manual 60/40 split-folding bench, fold flat

Floor covering, Black rubberized-vinyl

Steering column, Tilt-Wheel

Steering wheel, urethane

Steering wheel controls, mounted cruise controls

Display, driver instrument information enhanced, one color

Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on

Door locks, power programmable with lockout protection (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, Auto Lockout is disabled on Driver door.)

Remote Keyless Entry, extended-range

Windows, power, with Express-Down and Express-Up on front doors and lock out features

Cruise control, electronic with set and resume speed

Climate control, tri-zone automatic with individual climate settings for driver, right-front passenger and rear passengers (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, includes dual-zone automatic, front and rear air conditioning electronic controls)

Defogger, rear-window electric

Power outlet, 110-volt

Mirror, inside rearview manual day/night

Conversation mirror

Assist handles, all seats (With (9C1) Police Vehicle or (5W4) Special Service Vehicle, front passenger assist handle is removed when (7X7) Spot lamps are ordered.)

[Fleet] 2016 Chevrolet Tahoe (CK15706) 4WD 4dr Commercial (29)

Interior

Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions. With (9C1) Police Vehicle or (5W4) Special Service Vehicle, interior lighting includes dome light, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions

Cargo management system

Cargo net

OnStar Basic plan for 5 years including limited RemoteLink mobile app services, Advanced Diagnostics and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery, and is transferable. Does not include Emergency, Security or Navigation services.)

Safety-Mechanical

Brakes, 4-wheel antilock, 4-wheel disc, VAC power

StabiliTrak, stability control system with brake assist, includes traction control

Safety-Interior

Air bags, frontal and side-impact for driver and front passenger and head curtain side-impact for all rows in outboard seating positions (Included and only available with (AZ3) 40/20/40 split-bench front seat. With (9C1) Police Vehicle or (5W4) Special Service Vehicle requires (AZ3) 40/20/40 split-bench front seat and (9U3) SEO front center seat (20% seat) delete. Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Automatic Occupant Sensing System sensor indicator inflatable restraint, front passenger/child presence detector

OnStar Guidance Plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions.)

Rear Park Assist with audible warning

Rear Vision Camera

Safety belts, 3-point, driver and right-front passenger

LATCH system (Lower Anchors and Top tethers for Children), for child safety seats; lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions

Tire Pressure Monitor System air pressure sensors in each tire with pressure display in Driver Information Center

Theft deterrent, electrical, unauthorized entry

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

WARRANTY

Basic Years: 3
 Basic Miles/km: 36,000
 Drivetrain Years: 5
 Drivetrain Miles/km: 60,000
 Corrosion Years (Rust-Through): 6
 Corrosion Years: 3
 Corrosion Miles/km (Rust-Through): 100,000
 Corrosion Miles/km: 36,000
 Roadside Assistance Years: 5
 Roadside Assistance Miles/km: 60,000
 Maintenance Years: 2
 Maintenance Miles/km: 24,000
 Maintenance Note: 2 visits

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A
First Gear Ratio (:1)	N/A
Second Gear Ratio (:1)	N/A
Third Gear Ratio (:1)	N/A
Fourth Gear Ratio (:1)	N/A
Fifth Gear Ratio (:1)	N/A
Sixth Gear Ratio (:1)	N/A
Reverse Ratio (:1)	N/A
Clutch Size	N/A
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

Powertrain

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	416.00 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	18 MPG
Cruising Range - Hwy	572.00 mi

Engine

Engine Order Code	L83
Engine Type	Gas/Ethanol V8
Displacement	5.3L/325
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600
SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A

Electrical

Cold Cranking Amps @ 0° F (Primary)	720
Cold Cranking Amps @ 0° F (2nd)	730
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	170

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	10.0
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Liftgate
----------------	----------

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

Chassis

Weight Information

Trim Curb Weight	N/A
Standard Weight - Front	0.00 lbs
Standard Weight - Rear	0.00 lbs
Base Trim Weight - Front	N/A
Base Trim Weight - Rear	N/A
Gross Axle Wt Rating - Front	3600 lbs
Gross Axle Wt Rating - Rear	4100 lbs
Curb Weight - Front	N/A
Curb Weight - Rear	N/A
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A
Reserve Axle Capacity - Rear	N/A
As Spec'd Curb Weight	N/A
As Spec'd Payload	N/A
Maximum Payload Capacity	N/A
Gross Combined Wt Rating	N/A
Gross Axle Weight Rating	7700.00 lbs
Curb Weight	N/A
Reserve Axle Capacity	N/A
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7300.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6400 lbs
Wt Distributing Hitch - Max Tongue Wt.	960 lbs
Maximum Trailing Capacity	N/A

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

Chassis

Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A
Frame RBM	N/A
Frame Strength	N/A
Frame Thickness	N/A

Suspension

Suspension Type - Front	Independent
Suspension Type - Rear	Multi-Link
Spring Capacity - Front	N/A
Spring Capacity - Rear	N/A
Axle Type - Front	Independent
Axle Type - Rear	Semi-Floating
Axle Capacity - Front	3600 lbs
Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.42
Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	N/A
Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A
Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	RC3
Rear Tire Order Code	RC3
Spare Tire Order Code	RC4
Front Tire Size	P265/70R17
Rear Tire Size	P265/70R17
Spare Tire Size	P265/70R17
Front Tire Capacity	N/A
Rear Tire Capacity	N/A
Spare Tire Capacity	N/A

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

[Fleet] 2016 Chevrolet Tahoe (CK15706) 4WD 4dr Commercial (29)

Chassis

Tires

Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8.0 in
Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x 7.5 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	39.0 ft
Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	N/A
Rear Brake Rotor Diam x Thickness	N/A
Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
----------------------------	--------

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

Chassis

Fuel Tank

Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions

Passenger Capacity	6
Front Head Room	42.80 in
Front Leg Room	45.30 in
Front Shoulder Room	64.80 in
Front Hip Room	60.80 in
Second Head Room	38.70 in
Second Leg Room	39.00 in
Second Shoulder Room	65.10 in
Second Hip Room	60.20 in
Third Head Room	N/A
Third Leg Room	N/A
Third Shoulder Room	N/A
Third Hip Room	N/A

Exterior Dimensions

Wheelbase	116.00 in
Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	204.00 in
Width, Max w/o mirrors	80.50 in
Height, Overall	74.40 in
Overhang, Front	N/A
Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A
Cab to Axle	N/A
Cab to End of Frame	N/A
Ground to Top of Load Floor	35.91 in

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

Dimensions
Exterior Dimensions

Ground to Top of Frame	N/A
Frame Width, Rear	N/A
Ground Clearance, Front	10.7 in
Ground Clearance, Rear	10.7 in
Body Length	0.00 ft
Rear Door Opening Height	N/A
Rear Door Opening Width	N/A
Side Door Opening Height	N/A
Side Door Opening Width	N/A
Step Up Height - Front	N/A
Step Up Height - Side	N/A
Cab to Body	N/A

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A
Cargo Area Length @ Floor to Console	N/A
Cargo Area Length @ Floor to Seat 1	79.90 in
Cargo Area Length @ Floor to Seat 2	43.20 in
Cargo Area Length @ Floor to Seat 3	N/A
Cargo Box Width @ Top, Rear	N/A
Cargo Area Width @ Beltline	N/A
Cargo Box Width @ Floor	N/A
Cargo Box Width @ Wheelhousings	49.30 in
Cargo Box (Area) Height	40.90 in
Tailgate Width	N/A
Cargo Volume	N/A
Cargo Volume to Seat 1	111.8 ft ³
Cargo Volume to Seat 2	N/A
Cargo Volume to Seat 3	N/A
Cargo Volume to Seat 4	N/A
Ext'd Cab Cargo Volume	N/A

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT

[Fleet] 2016 Chevrolet Tahoe (CK15706) 4WD 4dr Commercial (29)

Exterior

Doors

Side Door Type

N/A

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 1086, Data updated Oct 29, 2015 10:29:00 PM PDT