

YORKTOWN CONSOLIDATED WATER DISTRICT VEHICLE SPECIFICATIONS

QUANTITY (2)

FORD F550 XL SUPERDUTY DRW 4WD SUPERCAB (EXT. CAB) 162" WB 60" CA

6.7 DIESEL ENGINE TORQUESHIFT 6 SPEED AUTOMATIC TRANSMISSION 19,500# GVW

LIMITED SLIP W/4.88 REAREND

TIRES 225/70/19.5 MAX TRACTION TIRES (4TRACTION TIRES ON REAR, 2 TRACTION TIRES ON FRONT,
OPTIONAL SPARE TIRE ON RIM WITH TRACTION TIRE)

COLOR- BLUE JEAN METALLIC

INTERIOR HD STEEL VINYL SPLINT BENCH SEAT WITH CENTER ARMREST, CUPHOLDER AND STORAGE

POWER EQUIPMENT GROUP CODE 90L

TRANSMISSION POWER TAKE OFF 62R

OPERATOR COMMANDED REGENERATION (OCR)

DUAL ALTERNATORS TOTAL 357 AMP CODE 67A

TRAILER TOW PACKAGE CODE 531

TRANSFER CASE SKID PLATES CODE 41P

SNOW PLOW PREP PACKAGE CODE 473

GVW 19,500 PAYLOAD PLUS UPGRADE PACKAGE CODE 473

SPARE TIRE WHEEL AND JACK CODE 512

6" ANGULAR BLACK MOLDED RUNNING BOARDS CODE 18B

DAYTIME RUNNING LAMPS CODE 942

CENTER HIGH MOUNTED STO LAMP 59H

6 TON HYD. JACK 61J

AM/FM STEREO CODE 585

STEERING WHEEL CONTROLS 62D

SYNC BLUE TOOTH COMMUNICATION 91M

MUDTRAY FLOOR MATS FOR DRIVER AND PASSENGER

UPFITTER SWITCHES ON DASH

AIR CONDITIONING

TWO EXTRA KEYS FOR A TOTAL OF FOUR (4)

AFTERMARKET ADDITIONAL ITEMS

9FT. FISHER MC MINUTE MOUNT 2 ELECTRIC HYDRAULIC SNOW PLOW WITH CUTTING EDGE AND CARBIDE EDGE BOLTED TOGETHER AND STEEL SNOWFOIL WITH FISHER MOUNTED JOYSTICK CONTROLLER INSTALLED

9FT. ELECTRIC SANDER STAINLESS STEEL 3 YARD MOUNTED ON WOOD RUNNERS WITH FOUR (4) D-RINGS AND FOUR(4) NYLON RATCHET STRAPS FOR TIE DOWNS

SANDER TO BE FISHER STEELCASTER OR SMITH BRAND ONLY.

WATER PROOF TARP AND BUNGIES TO COVER SANDER

2 STD. WORK LIGHTS MOUNTED ON SANDER SPINNER AREA USING WEATHER PACK PLUGS TO OPERATE ON SWITCH OR PLUG INTO TRAILER PLUG

TRUCKCRAFT TC-300 UTILITY BODY WITH COMBINATIN DUMPING INSERT. AND CAB PROTECTOR PAINTED TO MATCH TRUCK BLUE JEAN BLUE

TC-300 SPECIFICATION

TruckCraft has engineered the body and subframe of the TC-300 to handle hauling and storage loads for chassis up to and including 19,500 lb GVWR . The "No Compromise" body design, built mainly of A60 Galvanneal(cabinets & dump tub), provides 12,000 lb dump capacity and is designed for your 60" C.A. chassis. Dump body volume capacity is 3 cu. yds water level, and has 64 cu. ft of cabinet storage. COMBO can handle 4' x 8' sheets of material with the tailgate closed. The entire side pack set is built of A60 Galvanneal steel for years of rust resistant life. Dumping is fast and efficient with a MONARCH® 12 volt power unit, and U.S.-made 3-stage telescopic cylinder. The cylinder design allows the floor of the bed to be mounted 8-10" lower than a comparable scissors hoist unit.

A one-hand tailgate unlatch lever, low floor height, built in hand-hold, and step bumper all combine to make worker entry to the dump body fast and easy.

- Pre-assembled body, hoist, and painted base frame
 - 3 Stage chromed telescopic cylinder
 - 10 Ga, A-60 Galvanneal steel dump body
 - Multiple height pintle hook location

- Removable cabguard with laser-cut window
 - Step & handhold for easy bed entry
 - “Dump Bed Raised” dash light
 - Removable 18” rear corner standards
- Storage cabinets pre-fitted for mounting
 - Rear bumper & hitch plate included
- LED Markers, Stop, Tail, Turn and license I.D. lights with harness
 - Hardware and frame mounts included
 - 2 welded D-ring tie-downs
 - Outboard safety prop access
 - Warranty – Dump body & frame -one year; Cabinets-5
- ENTIRE UNDERSIDE OF UTILITY BODY TO BE UNDERCOATED
 - 3 SETS OF KEYS FOR THE UTILITY BODY LOCKS

THE TOP SURFACES OF THE TRUCKCRAFT UTILITY BODY TO BE SPRAYED WITH BEDLINER (LINEX , RHINO OR EQUIVALENT) TO PREVENT PAINT CHIPPING WHEN LOADING

INSIDE OF DUMP BODY INSERT TO HAVE FOUR (4) EYE BOLTS IN EACH TO CORNER TO ATTACH SANDER NYLON STRAPS

DUMP BODY TAILGATE TO HAVE COAL SHUTE IN CENTER WITH LATCH

¼ CAB SHIELD

MANUAL TARP AND ROLLER FOR DUMP BODY

FULL PLATE WITH ADJUSTABLE HOLES AND PINTLE HOOK AND REAR BUMPER

TRAILER PLUG 7 WIRE FLAT TRUCKED IN REAR WITH FLAPPER COVER

BACKUP ALARM

2 SURFACE MOUNTED LED AMBER STROBES MOUNTED ON FRONT GRILL

2 AMBER OVAL STROBES MOUNTED ON UPPER REAR OF UTILITY BODY

ALL STROBES TO BE CONTROLLED FROM FORD UPFITTER SWITCH ON DASH

2 HELLA HL300-A FLOOD LIGHTS (OR EQUIVILENT) TUCKED UNDER REAR OF BODY OPERATED BY
UPFITTER SWITCH ON DASH

Any questions about bid specs please contact Jim Morgan 914-245-6111 ext. 25

Photographs are available upon request.